

intel®




itGO

Innovation in Motion

Business All in one PC delivering essential performance, seamless manageability, and effortless upgradability.

itGO



Delivering High Performance

itGO All In One PCs are built to deliver exceptional performance, empowering you to achieve more.



Unmatched Reliability

At itGO, reliability is at the core of every All In One PC we create. Built with premium components and rigorously tested for durability.



SECURE SOLUTION

Our All In One PCs feature cutting-edge security measures designed to protect your data and maintain your privacy.



MAX Upgradability

Designed with future-proofing in mind, offering maximum upgradability to keep up with your evolving needs.



EFFICIENT DESIGN

Crafted with efficiency in mind, combining sleek aesthetics with intelligent design for optimal performance.



MADE FOR INDIA

Built to stand diverse environments and demanding workloads, our systems combine durability with best technology



itGO Fusion 330 All in one PC Specifications

Processor	10th Gen Intel® Core™ i3-10100 , 6 MB cache, 4 cores, 8 threads, 3.60 GHz to 4.30 GHz, 65 W 12th Gen Intel® Core™ i3-12100 , 12 MB cache, 4 cores, 8 threads, 3.30 GHz to 4.30 GHz, 60 W 12th Gen Intel® Core™ i3-12300 , 12 MB cache, 4 cores, 8 threads, 3.50 GHz to 4.40 GHz, 60 W 13th Gen Intel® Core™ i3-13100 , 12 MB cache, 4 cores, 8 threads, 3.40 GHz to 4.50 GHz, 60 W 14th Gen Intel® Core™ i3-14100 , 12 MB cache, 4 cores, 8 threads, 4.70 GHz to 4.50 GHz, 60 W
Chipset Operating	Intel Q670 / H410 / H510 / H610 / B660 / B760 / Z690 / Z790
System Options	Windows® 10 Home / PRO/ IoT Enterprise 2019 LTSC/ Pro Education (64-bit) Windows® 11 Home / PRO/ Pro Education (64-bit) Ubuntu® 18.04 (64-bit)
Inbuild Graphics	Intel® UHD Graphics 630 / Intel® UHD Graphics 730 / Intel® UHD Graphics 770
Memory	Upto 32GB DDR4 (2400/2666/3200) MHz SODIMM Ram, Upto 32GB DDR5 (4800/5200/5600/6000) MHz SODIMM Ram
Memory Slots	2 DIMM or 4 DIMM
Wireless	With and Without Wi-Fi 7 (802.11 a,b,g,n,ac,ax,be) Bluetooth® 5.3 Support for 11be 320MHz wireless standard Wi-Fi 6/6E (802.11 a/b/g/n/ac/ax) Supports 2.4/5/6GHz frequency band* Bluetooth® 4.2 / Bluetooth® 5.1 /Bluetooth® v5.2 / Bluetooth® v5.3
STORAGE OPTIONS	2.5 (500 GB/ 1 TB / 2 TB) HDD 2.5-inch (128 GB / 250 GB / 500 GB/ 1 TB / 2 TB) SSD M.2 2280 (128 GB / 250 GB / 500 GB/ 1 TB / 2 TB) PCIe x 4 NVMe
Ports Side	2 x USB 3.2 Gen 2 (Type-A ports) 1 x USB 3.2 Gen 1 ports (1 x Type-C) (Optional) 1 x SD-card slot (Optional)
Ports Bottom	2 x USB 3.2 Gen 2 (Type-A ports) 1 x HDMI port / 2 x HDMI Ports 1 x DisplayPort 1 x RJ-45 port 2 x audio jacks
Optical Drive	DVD-ROM DVD+/-RW (optional)
Audio and Speakers	Integrated high-definition audio controller Internal Speaker (Optional)
Slots	1/2/3/4 x M.2 slot (Optional) 2 SATA slots for HDD/SSD and Optical Drive
Power	High Efficient active PSU
Environmental	Operating temperature: 5 to 35°C; Operating humidity: 5 to 90% RH

Hardware Security	Kensington security-cable slot (Optional) Padlock loop (Optional) Chassis intrusion switch (Optional) TPM 2.0 - Hardware / Software (Optional)
Display Size	21 inch to 32 inch (HD/FHD/IPS)
Keyboard & Mouse	Wires/Wireless USB Keyboard & Optical Scroll Mouse
Product Certification	BIS, ROHS, CE, FCC, NABL
Company Certification	ISO 9001, ISO 14001, ISO/IEC 20000, ISO/IEC 27001
Warranty	3/5 Years On-Site Warranty

© Copyright 2024. All rights reserved. In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Microsoft and Windows are registered trademarks of Microsoft Corporation.

Intel®, the Intel logo, Intel Core, vPro®, Optane™, and Core Inside are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Bluetooth® is a trademark of its proprietor. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.

© itGO is a trademark brand of MEK PERIPHERALS INDIA PVT LTD.

Website: www.itgo.co.in

Email: sales@itgo.co.in

contact no: +91 90824 68103

