


Business desktop PC delivering essential performance, seamless manageability, and effortless upgradability.

itGO



Delivering High Performance

itGO desktop PCs are built to deliver exceptional performance, empowering you to achieve more.

MAX Upgredability

Designed with future-proofing in mind, offering maximum upgradeability to keep up with your evolving needs.



Unmatched Reliability

At itGO, reliability is at the core of every desktop PC we create. Built with premium components and rigorously tested for durability.





EFFICIENT DESIGN

Crafted with efficiency in mind, combining sleek aesthetics with intelligent design for optimal performance.



SECURE SOLUTION

Our desktop PCs feature cuttingedge security measures designed to protect your data and maintain your privacy.



MADE FOR INDIA

Built to with stand diverse environments and demanding workloads, our systems combine durability with best technology

itGO Terra 510 Desktop PC Specifications

Processor

11th Gen Intel® Core™ i5-11600K, 12 MB cache, 6 cores, 12 threads, 3.90 GHz to 4.90 GHz, 125W 11th Gen Intel® Core™ i5-11600, 12 MB cache, 6 cores, 12 threads, 2.80 GHz to 4.80 GHz, 65W 11th Gen Intel® Core™ i5-11600T, 12 MB cache, 6 cores, 12 threads, 1.70 GHz to 4.10 GHz, 35W 11th Gen Intel® Core™ i5-11500, 12 MB cache, 6 cores, 12 threads, 2.70 GHz to 4.60 GHz, 65W 11th Gen Intel® Core™ i5-11500T, 12 MB cache, 6 cores, 12 threads, 1.50 GHz to 3.90 GHz, 35W 11th Gen Intel® Core™ i5-11400 , 12 MB cache, 6 cores, 12 threads, 2.60 GHz to 4.40 GHz, 65W 11th Gen Intel® Core™ i5-11400T, 12 MB cache, 6 cores, 12 threads, 1.30 GHz to 3.70 GHz, 35W 12th Gen Intel® Core™ i5-12400, 7.5 MB cache, 6 cores, 12 threads, 2.50 GHz to 4.40 GHz, 65W 12th Gen Intel® Core™ i5-12600K, 20 MB cache, 10 cores, 16 threads, 2.80 GHz to 4.90 GHz, 125W 12th Gen Intel® Core™ i5-12600, 18 MB cache, 6 cores, 12 threads, 3.30 GHz to 4.80 GHz, 65W 12th Gen Intel® Core™ i5-12600T, 18 MB cache, 6 cores, 12 threads, 2.10 GHz to 4.60 GHz, 35W 12th Gen Intel® Core™ i5-12500, 18 MB cache, 6 cores, 12 threads, 3.00 GHz to 4.60 GHz, 65W 12th Gen Intel® Core™ i5-12500T, 18 MB cache, 6 cores, 12 threads, 2.00 GHz to 4.40 GHz, 35W 12th Gen Intel® Core™ i5-12400, 18 MB cache, 6 cores, 12 threads, 2.50 GHz to 4.40 GHz, 65W 12th Gen Intel® Core™ i5-12400T, 18 MB cache, 6 cores, 12 threads, 1.80 GHz to 4.20 GHz, 35W 13th Gen Intel® Core™ i5-13600K, 24 MB cache, 14 cores, 20 threads, 2.60 GHz to 5.10 GHz, 125W 13th Gen Intel® Core™ i5-13600, 24 MB cache, 14 cores, 20 threads, 2.70 GHz to 5.00 GHz, 65W 13th Gen Intel® Core™ i5-13600T, 24 MB cache, 14 cores, 20 threads, 1.30 GHz to 4.80 GHz, 35 W 13th Gen Intel® Core™ i5-13500, 24 MB cache, 14 cores, 20 threads, 1.80 GHz to 4.80 GHz, 65W 13th Gen Intel® Core™ i5-13500T, 24 MB cache, 14 cores, 20 threads, 1.20 GHz to 4.60 GHz, 35W 13th Gen Intel® Core™ i5-13400, 20 MB cache, 10 cores, 16 threads, 1.80 GHz to 4.60 GHz, 65W 13th Gen Intel® Core™ i5-13400T, 20 MB cache, 10 cores, 16 threads, 1.00 GHz to 4.40 GHz, 35W 14th Gen Intel® Core™ i5-14400, 20 MB cache, 10 cores, 16 threads, 1.80 GHz to 4.70 GHz, 65W 14th Gen Intel® Core™ i5-14600K, 24 MB cache, 14 cores, 20 threads, 2.60 GHz to 5.30 GHz, 125W 14th Gen Intel® Core™ i5-14600, 24 MB cache, 14 cores, 20 threads, 2.70 GHz to 5.20 GHz, 65W 14th Gen Intel® Core™ i5-14600T, 24 MB cache, 14 cores, 20 threads, 1.30 GHz to 5.10 GHz, 35W 14th Gen Intel® Core™ i5-14500, 24 MB cache, 14 cores, 20 threads, 1.90 GHz to 5.00 GHz, 65W 14th Gen Intel® Core™ i5-14500T, 24 MB cache, 14 cores, 20 threads, 1.20 GHz to 4.80 GHz, 35W 14th Gen Intel® Core™ i5-14400, 20 MB cache, 10 cores, 16 threads, 1.80 GHz to 4.70 GHz, 65W 14th Gen Intel® Core™ i5-14400T, 20 MB cache, 10 cores, 16 threads, 1.50 GHz to 4.50 GHz, 35W

Chipset Operating	Intel H410 / H510 / H610 / B660 / B760 / Z690 / Z790 / Q670
System Options	Windows® 10 Home / PRO/ IoT Enterprise 2019 LTSC/ Pro Education (64-bit) Windows® 11 Home / PRO/ Pro Education (64-bit) Ubuntu® 18.04 (64-bit)
Inbuild Graphics/ Discreet	Intel® UHD Graphics 630 / Intel® UHD Graphics 730 / Intel® UHD Graphics 770 Up to NVIDIA RTX4070 (12GB) / NVIDIA RTX A4000 (16GB)
Memory	Upto 128GB DDR4 (2400/2666/3200) MHz Ram, Upto 128GB DDR5 (4800/5200/5600/6000) MHz Ram
Memory Slots	2 DIMM or 4 DIMM
Wireless	With and Without
	Wi-Fi 7 (802.11 a,b,g,n,ac,ax,be) Bluetooth® 5.3 Support for 11be 320MHz wireless standard Wi-Fi 6/6E (802.11 a/b/g/n/ac/ax) Supports 2.4/5/6GHz frequency band* Bluetooth® 4.2 / Bluetooth® 5.1 /Bluetooth® v5.2 / Bluetooth® v5.3

STORAGE OPTIONS

2.5/3.5-inch (500 GB/ 1 TB / 2 TB / 4 TB / 8 TB / 16 TB) HDD
2.5-inch (128 GB / 250 GB / 500 GB/ 1 TB / 2 TB / 4 TB / 8 TB) SSD
M.2 2280 (128 GB / 250 GB / 500 GB/ 1 TB / 2 TB / 4 TB / 8 TB) PCIe x 4 NVMe



Ports Front	2 x USB 3.2 Gen 1/2 (Type-A ports)
	1 x USB 3.2 Gen 1/2 ports (2 x Type-C)
Option Drive	DVD-ROM DVD+/-RW
Optical Drive	DVD KOWI DVD-7 KW
Audio and Speakers	Integrated high-definition audio controller Internal Speaker (Optional)
Ports Back	1 x PS/2 keyboard port (Optional)
	1 x PS/2 mouse port (Optional)
	1 x D-Sub port (Optional)
	1 x USB Type-C® port, with USB 3.2 Gen 2x2 support
	2 x USB 3.2 Gen 1/2 (Type-A ports)
	3 x USB 3.2 Gen 1/2 ports
	4 x USB 2.0/1.1 ports
	1 x HDMI port / 2 x HDMI Ports / 1 x VGA Port
	1 x DisplayPort
	1 x RJ-45 port
	1 x optical S/PDIF Out connector
	2/3 x audio jacks
	1 SD-card slot (Optional)
Slots	1/2/3 x PCIe x16 slot
	1/2 x PCIe x1 slot
	1 PCI (optional)
	1/2/3/4 x M.2 slot (Optional)
	4 SATA slots for HDD/SSD and Optical Drive
Power	250W / 300W / 350W / 400W / 500W / 550W / 650W / 700W / 750W / 850W
Environmental	Operating temperature: 5 to 35°C;
Liviloilitieritai	Operating humidity: 5 to 90% RH
Hardware Security	Kensington security-cable slot (Optional)
	Padlock loop (Optional)
	Chassis intrusion switch (Optional)
	TPM 2.0 - Hardware / Software (Optional)
Display Size	19 inch to 24 inch (HD/FHD/IPS) Wires/Wireless USB
Keyboard & Mouse	Keyboard & Optical Scroll Mouse
Product Certification	BIS, ROHS, CE, FCC. NABL
Company	100 0001 100 14001 100/100 20000 100/100 27001
Certification	ISO 9001, ISO 14001, ISO/IEC 20000, ISO/IEC 27001
Warranty	3/5 Years On-Site Warranty

[©] Copyright 2024. All rights reserved. In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Microsoft and Windows are registered trademarks of Microsoft Corporation.

Intel®, the Intel logo, Intel Core, vPro®, Optane™, and Core Inside are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Bluetooth® is a trademark of its proprietor. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.

NVIDIA logo, Quadro, and GeForce are trademarks and/or registered trademarks of NVIDIA Corporation in the US. and other countries

 $\ensuremath{\mathbb{C}}$ itGO is a trademark brand of MEK PERIPHERALS INDIA PVT LTD.

Website: www.itgo.co.in Email: sales@itgo.co.in

contact no: +91 90824 68103

