


Business All in one PC delivering essential performance, seamless manageability, and effortless upgradability.

itGO





Delivering High Performance

itGO Servers are built to deliver exceptional performance, empowering you to achieve more.

MAX Upgredability

Designed with future-proofing in mind, offering maximum upgradeability to keep up with your evolving needs.





Unmatched Reliability

At itGO, reliability is at the core of every Server we create. Built with premium components and rigorously tested for durability.



EFFICIENT DESIGN

Crafted with efficiency in mind, combining sleek aesthetics with intelligent design for optimal performance.





SECURE SOLUTION

Our Servers feature cutting-edge security measures designed to protect your data and maintain your privacy.

MADE FOR INDIA

Built to with stand diverse environments and demanding workloads, our systems combine durability with best technology

itGO Catalyst CX-12000 Server Specifications

| Processor | Intel® Xeon® D Processor |
|-----------------------------|---|
| Chipset | Integrated |
| Operating System Options | Windows® 10 Home / PRO/ IoT Enterprise 2019 LTSC/ Pro Education (64-bit) Windows® 11 Home / PRO/ Pro Education (64-bit) Ubuntu® 18.04 (64-bit) |
| Graphics Card | Nvidia Quadro 1 GB, 2 GB, 4 GB, 5 GB, 6 GB, 8 GB, 16 GB, 24 GB, 32 GB, 48 GB |
| Memory | up to 8TB DDR4 ECC/REG RAM up to 8TB DDR5 ECC/REG RAM |
| Memory Slots | 4/8/16/32 DIMM |
| Form Factor | Rack/Tower 1U, 2U, 3U, 4U, 5U |
| Embedded NIC | 2 x 1 GbE LOM (Optional) |
| Storage | SATA HDD: No Limitations, SAS HDD: No Limitations, SATA SSD: 128GB - 8TB, Nvme SSD: 128GB to 4TB Supports 8/12 SATA HDD/SAS Hot swap Drive Bays |
| FAN | Standard fan/High performance 80mm fan |
| Raid Controller | Optional |
| Ports Front | 2 x USB 3.2 Gen 2 (Type-A ports) 1 x USB 3.2 Gen 1 ports (2 x Type-C) / 1 x USB 3.2 Gen 1 ports (2 x Type-C) |
| Optical Drive | Slim DVD-ROM Slim DVD-Write |
| Power | Standard Internal Redundant Power supply |
| Environmental | Operating temperature: 5 to 35°C; Operating humidity: 5 to 90% RH |
| Keyboard & Mouse | Wires/Wireless USB Keyboard & Optiical Scroll Mouse |
| Product Certification | BIS, ROHS, CE, FCC. NABL |
| Company Certification | ISO 9001, ISO 14001, ISO/IEC 20000, ISO/IEC 27001 |
| Warranty | 3/5 Years On-Site Warranty |



© Copyright 2024. All rights reserved. In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Microsoft and Windows are registered trademarks of Microsoft Corporation.

Intel®, the Intel logo, Intel Core, vPro®, Optane™, and Core Inside are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Bluetooth® is a trademark of its proprietor. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.

NVIDIA logo, Quadro, and GeForce are trademarks and/or registered trademarks of NVIDIA Corporation in the US. and other countries

© itGO is a trademark brand of MEK PERIPHERALS INDIA PVT LTD.

Website: www.itgo.co.in Email: sales@itgo.co.in

contact no: +91 90824 68103

